



Ash Blocks

These Danish-made blocks have galvanised bindings, unvarnished ash shells and nylon sheaves. They are approved by Lloyds and DNV, and are good general purpose wood blocks.



Single



Single & becket



Double



Double & becket



Fiddle



Single strop



Jib sheet

Shell Size	Rope Dia	Sheave Dia	Sheave width	Test load
3"	10mm	40mm	13mm	280kg
3 1/2"	12mm	48mm	15mm	360kg
4"	14mm	53mm	17mm	544kg
4 1/2"	16mm	63mm	19mm	732kg
5"	18mm	75mm	21mm	1028kg
6"	18mm	88mm	23mm	1228kg
7"	20mm	102mm	25mm	1612kg
8"	22mm	120mm	27mm	1944kg
9"	24mm	135mm	29mm	2320kg
10"	26mm	155mm	31mm	2700kg

Part Numbers

	3"	3 1/2"	4"	4 1/2"	5"
Single	RG-0730	RG-0740	RG-0750	RG-0760	RG-0770
Single & becket	RG-0731	RG-0741	RG-0751	RG-0761	RG-0771
Double	RG-0732	RG-0742	RG-0752	RG-0762	RG-0772
Double & becket	RG-0733	RG-0743	RG-0753	RG-0763	RG-0773
Treble	RG-0734		RG-0754		RG-0774
Treble & becket	RG-0735		RG-0755		RG-0775
Fiddle			RG-0756		RG-0776
Fiddle & Becket			RG-0744		RG-0745
Single strop	RG-0737	RG-0747	RG-0757	RG-0767	RG-0777
Double strop	RG-0738	RG-0748	RG-0758	RG-0768	RG-0778
Jib Sheet	RG-0739		RG-0759		RG-0779
Galv Hook	RG-0831	RG-0832	RG-0833	RG-0834	RG-0835
	6"	7"	8"	9"	10"
Single	RG-0780	RG-0790	RG-0800	RG-0810	RG-0820
Single & becket	RG-0781	RG-0791	RG-0801	RG-0811	RG-0821
Double	RG-0782	RG-0792	RG-0802	RG-0812	RG-0822
Double & becket	RG-0783	RG-0793	RG-0803	RG-0813	RG-0823
Treble	RG-0784	RG-0794	RG-0804	RG-0814	RG-0824
Treble & becket	RG-0785	RG-0795	RG-0805	RG-0815	RG-0825
Fiddle	RG-0786	RG-0796	RG-0806		
Fiddle & Becket	RG-0764	RG-0765			
Single strop	RG-0787	RG-0797	RG-0807	RG-0817	RG-0827
Double strop	RG-0788	RG-0798	RG-0808	RG-0818	RG-0828
Jib Sheet	RG-0789	RG-0799	RG-0809	RG-0819	RG-0829
Galv Hook	RG-0836	RG-0837	RG-0838	RG-0839	RG-0840



Elm Blocks

These Dutch-made blocks really do combine the best of the old with the best of the new. They have stainless bindings, varnished elm shells and tufnol sheaves. So they are handsome, strong and reasonably light.

Shell Size	Rope Dia	Sheave Dia	Sheave width	Break Load (kg)	Double
85mm	8-10mm	30mm	12mm	2200	
100mm	12mm	35mm	14mm	3150	
125mm	14mm	40mm	16mm	4300	
150mm	16 mm	55mm	20mm	5500	
180mm	18 mm	65mm	22mm	9000	
200mm	20 mm	75mm	24mm	11500	

Single & Becket



Double & Becket

Part Numbers - Elm Blocks

Shell Size (mm)	85	100	125	150	180	200
Single	RG-1360	RG-1370	RG-1380	RG-1390	RG-1400	RG-1410
Single & becket	RG-1361	RG-1371	RG-1381	RG-1391	RG-1401	RG-1411
Double	RG-1362	RG-1372	RG-1382	RG-1392	RG-1402	RG-1412
Double & becket	RG-1363	RG-1373	RG-1383	RG-1393	RG-1403	RG-1413
Treble				RG-1394	RG-1404	RG-1414
Treble & becket				RG-1395	RG-1405	RG-1415



Ash & Teak Blocks

These German-made blocks have stainless bindings, varnished ash or unvarnished teak shells and bronze roller sheaves.

Shell Size	Rope Dia	Sheave Dia	Sheave width	Break load
60mm	8-10mm	30mm	12mm	1000kg
70mm	10-12mm	35mm	14mm	1300kg
80mm	12-14mm	40mm	16mm	2000kg
105mm	16-18mm	55mm	20mm	2200kg
120mm	18-20mm	65mm	22mm	2500kg

Part Numbers

Ash Shells	60mm	70mm	80mm
Single	RG-0700	RG-0710	RG-0720
Single & becket	RG-0701	RG-0711	RG-0721
Double	RG-0702	RG-0712	RG-0722
Double & becket	RG-0703	RG-0713	RG-0723

Teak Shells	60mm	70mm	80mm	105mm	120mm
Single	RG-0900	RG-0910	RG-0920	RG-0930	RG-0940
Single & becket	RG-0901	RG-0911	RG-0921	RG-0931	RG-0941
Double	RG-0902	RG-0912	RG-0922	RG-0932	RG-0942
Double & becket	RG-0903	RG-0913	RG-0923	RG-0933	RG-0943

Single & Becket



Single



Double

Double & Becket



Elm Blocks

These Dutch-made blocks really do combine the best of the old with the best of the new. They have stainless bindings, varnished elm shells and tufnol sheaves. So they are handsome, strong and reasonably light.

Shell Size	Rope Dia	Sheave Dia	Sheave width	Break Load (kg)	Double
85mm	8-10mm	30mm	12mm	2200	
100mm	12mm	35mm	14mm	3150	
125mm	14mm	40mm	16mm	4300	
150mm	16 mm	55mm	20mm	5500	
180mm	18 mm	65mm	22mm	9000	
200mm	20 mm	75mm	24mm	11500	

Single & Becket



Double & Becket

Part Numbers - Elm Blocks

Shell Size (mm)	85	100	125	150	180	200
Single	RG-1360	RG-1370	RG-1380	RG-1390	RG-1400	RG-1410
Single & becket	RG-1361	RG-1371	RG-1381	RG-1391	RG-1401	RG-1411
Double	RG-1362	RG-1372	RG-1382	RG-1392	RG-1402	RG-1412
Double & becket	RG-1363	RG-1373	RG-1383	RG-1393	RG-1403	RG-1413
Treble				RG-1394	RG-1404	RG-1414
Treble & becket				RG-1395	RG-1405	RG-1415



Ash & Teak Blocks

These German-made blocks have stainless bindings, varnished ash or unvarnished teak shells and bronze roller sheaves.

Shell Size	Rope Dia	Sheave Dia	Sheave width	Break load
60mm	8-10mm	30mm	12mm	1000kg
70mm	10-12mm	35mm	14mm	1300kg
80mm	12-14mm	40mm	16mm	2000kg
105mm	16-18mm	55mm	20mm	2200kg
120mm	18-20mm	65mm	22mm	2500kg

Part Numbers

Ash Shells	60mm	70mm	80mm
Single	RG-0700	RG-0710	RG-0720
Single & becket	RG-0701	RG-0711	RG-0721
Double	RG-0702	RG-0712	RG-0722
Double & becket	RG-0703	RG-0713	RG-0723

Teak Shells	60mm	70mm	80mm	105mm	120mm
Single	RG-0900	RG-0910	RG-0920	RG-0930	RG-0940
Single & becket	RG-0901	RG-0911	RG-0921	RG-0931	RG-0941
Double	RG-0902	RG-0912	RG-0922	RG-0932	RG-0942
Double & becket	RG-0903	RG-0913	RG-0923	RG-0933	RG-0943

Single & Becket




Single



Double

Double & Becket



Ash Blocks - Stainless Bindings

Shell Size	Rope Dia	Sheave Dia	SWL kg	
			Bound	Strop
3"	8-10mm	40mm	1500	575
3 1/2"	10-12mm	50mm	1750	635
4"	12-14mm	60mm	2000	700

Part Numbers

Recently introduced by Davey & Co, these blocks are strong and elegant. The bound blocks are cunningly designed so that they can be disassembled easily for maintenance.

Tufnol sheaves are standard, as are heavy gauge stainless bindings with fixed eye.

	3"	3 1/2"	4"
Single	RG-2800	RG-2810	RG-2820
Single & becket	RG-2801	RG-2811	RG-2821
Double	RG-2802	RG-2812	RG-2822
Double & becket	RG-2803	RG-2813	RG-2823
Single strop	RG-2804	RG-2814	RG-2824
Double strop	RG-2805	RG-2815	RG-2825
Fiddle		RG-2816	RG-2826
Fiddle & Becket		RG-2817	RG-2827




3-Strand Buff Polyester a well constructed, low-stretch rope

Diameter (mm)	Metres per coil	Breaking Load (kg)	Part No.
4	100	250	RP-0220
6	100	420	RP-0221
8	390	1000	RP-0222
10	220	1500	RP-0223
12	165	2000	RP-0224
14	110	2600	RP-0225
16	85	4000	RP-0226



Braided Buff Polyester a braided polyester rope which looks well on traditional or classic boats

3	100	140	RP-0197
4	100	250	RP-0200
5	100	360	RP-0199
6	200	420	RP-0201
8	200	1000	RP-0202
10	100	1500	RP-0203
12	100	2400	RP-0204
14	100	2900	RP-0205
16	100	3570	RP-0206
18	100	4180	RP-0207
20	100	5020	RP-0208



"Hemp-style" Polypropylene a 3-strand Poly-Propylene rope, UV stabilised for a long working life. Eminently usable in a marine environment, we tend to stock just the 24 mm size for handrails and gardens!

24	220	6900	RP-0250
----	-----	------	---------



Stainless Steel Wire Rope



		1 x 19		7 x 19		7 x 7	
Dia (mm)	Part No	B.L.(kg)	Part No	B.L.(kg)	Part No	B.L.(kg)	
2.5			RP-0120	360			
3	RP-0101	730	RP-0121	510	RP-0110	550	
4	RP-0102	1300	RP-0122	900	RP-0111	1000	
5	RP-0103	2000	RP-0123	1420	RP-0112	1500	
6	RP-0104	2800	RP-0124	2050	RP-0113	2000	
8					RP-0114	3880	

Galvanised Wire Rope

		7 x 7		6 x 19	
Dia (mm)	Part No	B.L.(kg)	Part No	B.L.(kg)	
3	RP-0131	629	RP-0141	498	
4	RP-0132	1120	RP-0142	885	
5	RP-0133	1750	RP-0143	1380	
6	RP-0134	2520	RP-0144	1990	
8	RP-0135	4136			

Data

For more information on wire and rope, see the "Reference Data & Articles" section of

Rigging Service

We also offer a rigging service using either Talurit eyes or swageless terminals. Please contact us for a quote

Highfield Pattern Backstay Levers



These are great if you have the deck space to fit them, and are sure that they cannot be accidentally tripped when under load. They can fly up with some considerable force.

Length of Arm	8"	10"	16"	24"
Max Wire (mm)	5	6	8	10
Part No	RG-0109	RG-0110	RG-0111	RG-0112



Wire & Backstay Blocks



Wire Size	Wire Block	Deck Block	Stand-up Block	B.L. (kg)
4	RG-0065			1130
5	RG-0066	RG-0080	RG-0081	1200
6	RG-0067	RG-0084	RG-0085	2040
8	RG-0068	RG-0088	RG-0089	2010



The wire blocks have a removable pin so the wire can be loaded into the block

The deck blocks are open ended. This gives a good deal of slack so that running backstays can be taken forward when required. Please advise deck thickness when ordering

In the stand-up blocks, the sheave pin is removable to allow the wire to be fed through. Please advise angle of lean-in required when ordering



Bronze Rigging Thimbles

Size	5 mm	6 mm	8 mm	10 mm
Part Number	RG-1210	RG-1211	RG-1212	RG-1213

Larger sizes also available to special order



Lignum Vitae Bullseyes

Diameter (mm)	25	35	45	55	65	75
Bore (mm)	8	12	16	20	24	28
Part Number	HL-0800	HL-0801	HL-0802	HL-0803	HL-0804	HL-0805



Ash Parrel Balls

Length (mm)	25	30	35	40	50	60
Bore (mm)	8	9	10	11	12	13
Part Number	RG-1079	RG-1080	RG-1081	RG-1082	RG-1083	RG-1084



Ash Belay Pins

Length	8"	10"	12"	13"	14"	15"
Diameter	5/8"	3/4"	7/8"	1"	1 1/8"	1 1/4"
Part Number	HL-1050	HL-1051	HL-1052	HL-1053	HL-1054	HL-1055



Bronze Belay Pins

Length	6"	9"	11"
Diameter	3/8"	1/2"	5/8"
Part Number	HL-0101	HL-0102	HL-0103

Galvanised Belay Pins

Length	6 1/4"	7 1/2"	9 1/4"
Diameter	3/8"	1/2"	5/8"
Part Number	HL-0105	HL-0106	HL-0107

Gaff Span Shackles

Pin Size	1/4"	3/8"	1/2"	5/8"
Gunmetal	RG-0145	RG-0146	RG-0147	RG-0148
Galvanised	-	RG-0140	RG-0142	RG-0141



Forestay Levers

A neat way to provide your sail plan with more options. These levers come complete with the rigging screw, toggle, quick release pin and ring to hold the lever in place. All pivots and pins are in stainless steel, the remainder in bronze.

Max Wire Dia	Rigging Screw	Length	Part No
7/16" (5 mm)	3/8"	18"	RG-0070
1/4" (6 mm)	1/2"	19 1/2"	RG-0071
9/32" (7 mm)	1/2"	19 1/2"	RG-0072
5/16" (8 mm)	5/8"	23"	RG-0073
3/8" *	5/8"	23"	RG-0074
1/2" *	3/4"	28"	RG-0075

* Swaged or swageless terminals for 10mm or 12mm wire instead





Sta-Lok Bronze Rigging Screws

Sta-lok
Bronze
Open Body
Rigging
Screw



Thread (inch)	Pin (inch)	L min (inch)	L max (inch)	Breaking Load (kg)	Part No
1/4"	1/4"	5 7/8"	9"	1447 kg	RG-0644
5/16"	5/16"	6 3/4"	10 1/8"	2343 kg	RG-0645
3/8"	3/8"	7 3/8"	11"	3597 kg	RG-0646
7/16"	7/16"	8 1/2"	13"	4853 kg	RG-0647
1/2"	1/2"	9 5/8"	14"	6599 kg	RG-0648
5/8"	5/8"	11 1/4"	16 1/4"	10631 kg	RG-0649
3/4"	3/4"	14 1/8"	21 1/2"	14467 kg	RG-0650

Sta-Lok Bronze Toggles

Size	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"
Part No	RG-0654	RG-0655	RG-0656	RG-0657	RG-0658	RG-0659	RG-0660

Larger sizes also available to special order

Bronze Open Body Rigging Screws - Brookes & Adams

Bronze
Open
Body
Rigging
Screw
(Fork/
eye)



Thread	Pin (inch)	L min (inch)	L max (inch)	Breaking Load (kg)	Part No fork/fork	Part No fork/eye	Part No eye/eye
OBA	5/32"	3 1/8"	4 1/8"	500 kg	RG-0600	RG-0605	RG-0610
BSF	5/16"	3 3/4"	5"	1000 kg	RG-0601	RG-0606	RG-0611
BSF	3/8"	6"	8 1/4"	2000 kg	RG-0602	RG-0607	RG-0612
BSF	1/2"	7 1/16"	10 1/4"	3000 kg	RG-0603	RG-0608	RG-0613


Closed
Body

Galvanised Closed Body Rigging Screws - fork/fork

A (inch)	B (mm)	L min (mm)	L max (mm)	Breaking Load (kg)	Part No
1/4"	7	145	220	800 kg	RG-0575
5/16"	9	165	245	1300 kg	RG-0576
3/8"	11	190	290	1500 kg	RG-0577
1/2"	13	285	430	3700 kg	RG-0579
5/8"	16	370	540	6500 kg	RG-0580

Centreplate Pivots

Rather than a conventional bolt with washers etc, we scheme these as per the picture. The pivot is supplied with bushing both for the plate case timbers and the plate itself. Each end of the pivot is covered with a small piece - about 2" x 2" - of tufnol which is screwed to the plate case, using 4 woodscrews and some sealant.



Size	3/8" x 3"	3/8" x 3 1/2"	3/8" x 4"	1/2" x 4"	1/2" x 5"
Part no	HL-2090	HL-2091	HL-2092	HL-2095	HL-2096



Wykeham-Martin Furling Gear

Wykeham-Martin furling gear looks like - indeed is - a relic from the 19th century. But it works. For further information on its use, please see the articles on the website

Size	Max Foresail Area (sq. ft)	Part No (complete)	Drum only	Swivel only
1	50	RG-0160	RG-2161	RG-2171
2	100	RG-0161	RG-2162	RG-2172
3	200	RG-0162	RG-2163	RG-2173
4	350	RG-0163	RG-2164	RG-2174



We can also supply stainless bearings for Wykeham-Martin gears.

For the bearings only the part numbers are: WM2 or 3 - MA-

Spinnaker fittings - bronze

	Strap Length	Pole Dia	Part No
Pole End	4"	1 3/4"	RG-1050
Pole End	5"	2 1/4"	RG-1051
Slide	for 1" track	-	RG-1060



Brass Ringbolts

Shank Diameter	3/8"	1/2"
Shank Length	3"	4"
Ring Diameter	1 1/4"	1 3/4"
Part Number	HL-0456	HL-0457



Eyebolts - see price list for sizes

	Galvanised	Stainless	Bronze (eye nuts)
Part No	HL-0431 to HL-0435	HL-0440 to HL-0443	HL-0444 to HL-0447



Brass Engine Control - SY-0401

This simple engine control lever has a twist lock action. Base dimensions are 3 1/2" x 7/8", height 5".

Hull Plates

Please note that Gunmetal chainplates are supplied without fastener holes, but galvanised ones are drilled.

Chainplate	4"	6"	8"	10"	12"
Galvanised	HL-0400	HL-0401	HL-0402	HL-0403	HL-0404
Bronze	HL-0405	HL-0406	HL-0407	HL-0408	HL-0409
Bowsprit plate	4"	6"	8"	10"	12"
Galvanised	HL-0415	HL-0416	HL-0417	HL-0418	HL-0419
Bronze	HL-0420	HL-0421	HL-0422	HL-0423	HL-0424



Chainplate

Bowsprit plate

We can also make these to your specification in steel or bronze



Stanchions & Rails

It is not really a good idea to fit stanchions less than 24" (610 mm) straight onto the deck. If too short they may help people trip over the side.



From left to right:
Stainless stanchion
Round-based gunmetal stanchion,
Square-based gunmetal stanchion,
Plain gunmetal stanchion



For rod size 3/8"



Stainless Steel Stanchions

Height (mm)	Distance top to 2nd wire	Part No	Part No (gate)#
450	225	HL-0876	
500	250	HL-0878	
550	275	HL-0879	
610	305	HL-0880	HL-0886
630	300	HL-0881	HL-0887
680	300	HL-0882	HL-0888
680	225/225*	HL-0883	
750	360	HL-0884	HL-0889
750	250/250*	HL-0885	

* these stanchions have 3 wires

gate stanchions come complete with a strut at 45 degrees to the stanchion

Stainless Steel Stanchion Bases

	Square	Triangular	2 Bail
Straight	HL-0891	HL-0892	HL-0893
Angled*	HL-0895	HL-0896	HL-0897

* angled at 5 degrees

Gunmetal Stanchions

Height (in)	Base Type	Base Dimension	Part No
18"	Round	3" dia	HL-0860
18"	Square	3 ³ / ₈ " x 2 ¹ / ₄ "	HL-0861
28"	Square	3 ³ / ₈ " x 2 ⁵ / ₈ "	HL-0862
19 ¹ / ₂ "	-	1"	HL-0865*
24 ¹ / ₂ "	-	1"	HL-0866*
29 ¹ / ₂ "	-	1"	HL-0867*

* Base for HL-0865/6/7 is HL-0864

Brass Fiddle Rail Stanchions

Height	Part No (through)	Part No (end)	Part No (corner)
1 ¹ / ₄ "	CB-0175	CB-0174	CB-0176
2"	CB-0178	CB-0177	CB-0179

Brass Handrail Brackets

Dia of aperture	Part Number (through)	Part Number (end)
30 mm	CB-0170	CB-0171
24 mm	CB-0172	CB-0173

Gunmetal Rail Hinges

For rail size	Part Number	For rail size	Part Number
3 ¹ / ₄ " x 1 ³ / ₄ "	HL-0857	3 ³ / ₄ " x 1 ¹ / ₂ "	HL-0858



Bronze Shackles


D shackles

A (mm)	B (mm)	C (mm)	B.L. (kg)	Part No
3	17	11	400	RG-0240
4	20	11	500	RG-0241
5	22	12	600	RG-0242
6	23	13	1000	RG-0243
8	32	16	1600	RG-0244
10	40	20	2400	RG-0245



Bow shackles

A (mm)	B (mm)	C (mm)	B.L. (kg)	Part No
5	27	10	400	RG-0298
6	31	12	800	RG-0299
8	39	16	1200	RG-0300
10	43	20	1600	RG-0301



Long D Shackles

A (mm)	B (mm)	C (mm)	B.L. (kg)	Part No
4	24	11	500	RG-0269
5	32	12	600	RG-0270
6	40	13	1000	RG-0271

Brass Snap Shackles

Fixed Eye

L (mm)	L (in)	B.L. (kg)	Part No
32	1 ¹ / ₄ "	250	RG-0340
41	1 ⁵ / ₈ "	450	RG-0341
50	2"	750	RG-0342
63	2 ¹ / ₂ "	1000	RG-0343
76	3"	1200	RG-0344
101	4"	2500	RG-0345



Swivel Eye

L (mm)	L (in)	B.L. (kg)	Part No
57	2 ¹ / ₄ "	450	RG-0355
70	2 ³ / ₄ "	750	RG-0356
81	3 ¹ / ₄ "	1000	RG-0357
101	4"	1200	RG-0358
139	5 ¹ / ₂ "	2500	RG-0359



Swivel eye snap shackle

Swivel D

L (mm)	L (in)	B.L. (kg)	Part No
57	2 ¹ / ₄ "	450	RG-0365
70	2 ³ / ₄ "	750	RG-0366
88	3 ¹ / ₂ "	1000	RG-0367
114	4 ¹ / ₂ "	1200	RG-0368

Swivel D