



Ash Blocks

These Danish-made blocks have galvanised bindings, unvarnished ash shells and nylon sheaves. They are approved by Lloyds and DNV, and are good general purpose wood blocks.



Single



Single & becket



Double



Double & becket



Fiddle



Single strop



Jib sheet

| Shell Size | Rope Dia | Sheave Dia | Sheave width | Test load |
|------------|----------|------------|--------------|-----------|
| 3" | 10mm | 40mm | 13mm | 280kg |
| 3 1/2" | 12mm | 48mm | 15mm | 360kg |
| 4" | 14mm | 53mm | 17mm | 544kg |
| 4 1/2" | 16mm | 63mm | 19mm | 732kg |
| 5" | 18mm | 75mm | 21mm | 1028kg |
| 6" | 18mm | 88mm | 23mm | 1228kg |
| 7" | 20mm | 102mm | 25mm | 1612kg |
| 8" | 22mm | 120mm | 27mm | 1944kg |
| 9" | 24mm | 135mm | 29mm | 2320kg |
| 10" | 26mm | 155mm | 31mm | 2700kg |

Part Numbers

| | 3" | 3 1/2" | 4" | 4 1/2" | 5" |
|-----------------|-----------|-----------|-----------|-----------|------------|
| Single | RG-0730 | RG-0740 | RG-0750 | RG-0760 | RG-0770 |
| Single & becket | RG-0731 | RG-0741 | RG-0751 | RG-0761 | RG-0771 |
| Double | RG-0732 | RG-0742 | RG-0752 | RG-0762 | RG-0772 |
| Double & becket | RG-0733 | RG-0743 | RG-0753 | RG-0763 | RG-0773 |
| Treble | RG-0734 | | RG-0754 | | RG-0774 |
| Treble & becket | RG-0735 | | RG-0755 | | RG-0775 |
| Fiddle | | | RG-0756 | | RG-0776 |
| Fiddle & Becket | | | RG-0744 | | RG-0745 |
| Single strop | RG-0737 | RG-0747 | RG-0757 | RG-0767 | RG-0777 |
| Double strop | RG-0738 | RG-0748 | RG-0758 | RG-0768 | RG-0778 |
| Jib Sheet | RG-0739 | | RG-0759 | | RG-0779 |
| Galv Hook | RG-0831 | RG-0832 | RG-0833 | RG-0834 | RG-0835 |
| | 6" | 7" | 8" | 9" | 10" |
| Single | RG-0780 | RG-0790 | RG-0800 | RG-0810 | RG-0820 |
| Single & becket | RG-0781 | RG-0791 | RG-0801 | RG-0811 | RG-0821 |
| Double | RG-0782 | RG-0792 | RG-0802 | RG-0812 | RG-0822 |
| Double & becket | RG-0783 | RG-0793 | RG-0803 | RG-0813 | RG-0823 |
| Treble | RG-0784 | RG-0794 | RG-0804 | RG-0814 | RG-0824 |
| Treble & becket | RG-0785 | RG-0795 | RG-0805 | RG-0815 | RG-0825 |
| Fiddle | RG-0786 | RG-0796 | RG-0806 | | |
| Fiddle & Becket | RG-0764 | RG-0765 | | | |
| Single strop | RG-0787 | RG-0797 | RG-0807 | RG-0817 | RG-0827 |
| Double strop | RG-0788 | RG-0798 | RG-0808 | RG-0818 | RG-0828 |
| Jib Sheet | RG-0789 | RG-0799 | RG-0809 | RG-0819 | RG-0829 |
| Galv Hook | RG-0836 | RG-0837 | RG-0838 | RG-0839 | RG-0840 |



Elm Blocks

These Dutch-made blocks really do combine the best of the old with the best of the new. They have stainless bindings, varnished elm shells and tufnol sheaves. So they are handsome, strong and reasonably light.

| Shell Size | Rope Dia | Sheave Dia | Sheave width | Break Load (kg) | Double |
|------------|----------|------------|--------------|-----------------|--------|
| 85mm | 8-10mm | 30mm | 12mm | 2200 | |
| 100mm | 12mm | 35mm | 14mm | 3150 | |
| 125mm | 14mm | 40mm | 16mm | 4300 | |
| 150mm | 16 mm | 55mm | 20mm | 5500 | |
| 180mm | 18 mm | 65mm | 22mm | 9000 | |
| 200mm | 20 mm | 75mm | 24mm | 11500 | |

Single & Becket



Double & Becket

Part Numbers - Elm Blocks

| Shell Size (mm) | 85 | 100 | 125 | 150 | 180 | 200 |
|-----------------|---------|---------|---------|---------|---------|---------|
| Single | RG-1360 | RG-1370 | RG-1380 | RG-1390 | RG-1400 | RG-1410 |
| Single & becket | RG-1361 | RG-1371 | RG-1381 | RG-1391 | RG-1401 | RG-1411 |
| Double | RG-1362 | RG-1372 | RG-1382 | RG-1392 | RG-1402 | RG-1412 |
| Double & becket | RG-1363 | RG-1373 | RG-1383 | RG-1393 | RG-1403 | RG-1413 |
| Treble | | | | RG-1394 | RG-1404 | RG-1414 |
| Treble & becket | | | | RG-1395 | RG-1405 | RG-1415 |



Ash & Teak Blocks

These German-made blocks have stainless bindings, varnished ash or unvarnished teak shells and bronze roller sheaves.

| Shell Size | Rope Dia | Sheave Dia | Sheave width | Break load |
|------------|----------|------------|--------------|------------|
| 60mm | 8-10mm | 30mm | 12mm | 1000kg |
| 70mm | 10-12mm | 35mm | 14mm | 1300kg |
| 80mm | 12-14mm | 40mm | 16mm | 2000kg |
| 105mm | 16-18mm | 55mm | 20mm | 2200kg |
| 120mm | 18-20mm | 65mm | 22mm | 2500kg |

Part Numbers

| Ash Shells | 60mm | 70mm | 80mm |
|-----------------|---------|---------|---------|
| Single | RG-0700 | RG-0710 | RG-0720 |
| Single & becket | RG-0701 | RG-0711 | RG-0721 |
| Double | RG-0702 | RG-0712 | RG-0722 |
| Double & becket | RG-0703 | RG-0713 | RG-0723 |

| Teak Shells | 60mm | 70mm | 80mm | 105mm | 120mm |
|-----------------|---------|---------|---------|---------|---------|
| Single | RG-0900 | RG-0910 | RG-0920 | RG-0930 | RG-0940 |
| Single & becket | RG-0901 | RG-0911 | RG-0921 | RG-0931 | RG-0941 |
| Double | RG-0902 | RG-0912 | RG-0922 | RG-0932 | RG-0942 |
| Double & becket | RG-0903 | RG-0913 | RG-0923 | RG-0933 | RG-0943 |

Single & Becket



Single



Double

Double & Becket



Elm Blocks

These Dutch-made blocks really do combine the best of the old with the best of the new. They have stainless bindings, varnished elm shells and tufnol sheaves. So they are handsome, strong and reasonably light.

| Shell Size | Rope Dia | Sheave Dia | Sheave width | Break Load (kg) | Double |
|------------|----------|------------|--------------|-----------------|--------|
| 85mm | 8-10mm | 30mm | 12mm | 2200 | |
| 100mm | 12mm | 35mm | 14mm | 3150 | |
| 125mm | 14mm | 40mm | 16mm | 4300 | |
| 150mm | 16 mm | 55mm | 20mm | 5500 | |
| 180mm | 18 mm | 65mm | 22mm | 9000 | |
| 200mm | 20 mm | 75mm | 24mm | 11500 | |

Single & Becket



Double & Becket

Part Numbers - Elm Blocks

| Shell Size (mm) | 85 | 100 | 125 | 150 | 180 | 200 |
|-----------------|---------|---------|---------|---------|---------|---------|
| Single | RG-1360 | RG-1370 | RG-1380 | RG-1390 | RG-1400 | RG-1410 |
| Single & becket | RG-1361 | RG-1371 | RG-1381 | RG-1391 | RG-1401 | RG-1411 |
| Double | RG-1362 | RG-1372 | RG-1382 | RG-1392 | RG-1402 | RG-1412 |
| Double & becket | RG-1363 | RG-1373 | RG-1383 | RG-1393 | RG-1403 | RG-1413 |
| Treble | | | | RG-1394 | RG-1404 | RG-1414 |
| Treble & becket | | | | RG-1395 | RG-1405 | RG-1415 |



Ash & Teak Blocks

These German-made blocks have stainless bindings, varnished ash or unvarnished teak shells and bronze roller sheaves.

| Shell Size | Rope Dia | Sheave Dia | Sheave width | Break load |
|------------|----------|------------|--------------|------------|
| 60mm | 8-10mm | 30mm | 12mm | 1000kg |
| 70mm | 10-12mm | 35mm | 14mm | 1300kg |
| 80mm | 12-14mm | 40mm | 16mm | 2000kg |
| 105mm | 16-18mm | 55mm | 20mm | 2200kg |
| 120mm | 18-20mm | 65mm | 22mm | 2500kg |

Part Numbers

| Ash Shells | 60mm | 70mm | 80mm |
|-----------------|---------|---------|---------|
| Single | RG-0700 | RG-0710 | RG-0720 |
| Single & becket | RG-0701 | RG-0711 | RG-0721 |
| Double | RG-0702 | RG-0712 | RG-0722 |
| Double & becket | RG-0703 | RG-0713 | RG-0723 |

| Teak Shells | 60mm | 70mm | 80mm | 105mm | 120mm |
|-----------------|---------|---------|---------|---------|---------|
| Single | RG-0900 | RG-0910 | RG-0920 | RG-0930 | RG-0940 |
| Single & becket | RG-0901 | RG-0911 | RG-0921 | RG-0931 | RG-0941 |
| Double | RG-0902 | RG-0912 | RG-0922 | RG-0932 | RG-0942 |
| Double & becket | RG-0903 | RG-0913 | RG-0923 | RG-0933 | RG-0943 |

Single



Single & Becket

Double

Double & Becket





Ash Blocks - Stainless Bindings

| Shell Size | Rope Dia | Sheave Dia | SWL kg | |
|------------|----------|------------|--------|-------|
| | | | Bound | Strop |
| 3" | 8-10mm | 40mm | 1500 | 575 |
| 3 1/2" | 10-12mm | 50mm | 1750 | 635 |
| 4" | 12-14mm | 60mm | 2000 | 700 |

Part Numbers

Recently introduced by Davey & Co, these blocks are strong and elegant. The bound blocks are cunningly designed so that they can be disassembled easily for maintenance.

Tufnol sheaves are standard, as are heavy gauge stainless bindings with fixed eye.

| | 3" | 3 1/2" | 4" |
|----------------------------|---------|---------|---------|
| Single | RG-2800 | RG-2810 | RG-2820 |
| Single & becket | RG-2801 | RG-2811 | RG-2821 |
| Double | RG-2802 | RG-2812 | RG-2822 |
| Double & becket | RG-2803 | RG-2813 | RG-2823 |
| Single strop | RG-2804 | RG-2814 | RG-2824 |
| Double strop | RG-2805 | RG-2815 | RG-2825 |
| Fiddle | | RG-2816 | RG-2826 |
| Fiddle & Becket | | RG-2817 | RG-2827 |




3-Strand Buff Polyester a well constructed, low-stretch rope

| Diameter (mm) | Metres per coil | Breaking Load (kg) | Part No. |
|---------------|-----------------|--------------------|----------|
| 4 | 100 | 250 | RP-0220 |
| 6 | 100 | 420 | RP-0221 |
| 8 | 390 | 1000 | RP-0222 |
| 10 | 220 | 1500 | RP-0223 |
| 12 | 165 | 2000 | RP-0224 |
| 14 | 110 | 2600 | RP-0225 |
| 16 | 85 | 4000 | RP-0226 |



Braided Buff Polyester a braided polyester rope which looks well on traditional or classic boats

| | | | |
|----|-----|------|---------|
| 3 | 100 | 140 | RP-0197 |
| 4 | 100 | 250 | RP-0200 |
| 5 | 100 | 360 | RP-0199 |
| 6 | 200 | 420 | RP-0201 |
| 8 | 200 | 1000 | RP-0202 |
| 10 | 100 | 1500 | RP-0203 |
| 12 | 100 | 2400 | RP-0204 |
| 14 | 100 | 2900 | RP-0205 |
| 16 | 100 | 3570 | RP-0206 |
| 18 | 100 | 4180 | RP-0207 |
| 20 | 100 | 5020 | RP-0208 |



"Hemp-style" Polypropylene a 3-strand Poly-Propylene rope, UV stabilised for a long working life. Eminently usable in a marine environment, we tend to stock just the 24 mm size for handrails and gardens!

| | | | |
|----|-----|------|---------|
| 24 | 220 | 6900 | RP-0250 |
|----|-----|------|---------|



Stainless Steel Wire Rope



| | | 1 x 19 | | 7 x 19 | | 7 x 7 | |
|----------|---------|----------|---------|----------|---------|----------|--|
| Dia (mm) | Part No | B.L.(kg) | Part No | B.L.(kg) | Part No | B.L.(kg) | |
| 2.5 | | | RP-0120 | 360 | | | |
| 3 | RP-0101 | 730 | RP-0121 | 510 | RP-0110 | 550 | |
| 4 | RP-0102 | 1300 | RP-0122 | 900 | RP-0111 | 1000 | |
| 5 | RP-0103 | 2000 | RP-0123 | 1420 | RP-0112 | 1500 | |
| 6 | RP-0104 | 2800 | RP-0124 | 2050 | RP-0113 | 2000 | |
| 8 | | | | | RP-0114 | 3880 | |

Galvanised Wire Rope

| | | 7 x 7 | | 6 x 19 | |
|----------|---------|----------|---------|----------|--|
| Dia (mm) | Part No | B.L.(kg) | Part No | B.L.(kg) | |
| 3 | RP-0131 | 629 | RP-0141 | 498 | |
| 4 | RP-0132 | 1120 | RP-0142 | 885 | |
| 5 | RP-0133 | 1750 | RP-0143 | 1380 | |
| 6 | RP-0134 | 2520 | RP-0144 | 1990 | |
| 8 | RP-0135 | 4136 | | | |

Data

For more information on wire and rope, see the "Reference Data & Articles" section of

Rigging Service

We also offer a rigging service using either Talurit eyes or swageless terminals. Please contact us for a quote

Highfield Pattern Backstay Levers



These are great if you have the deck space to fit them, and are sure that they cannot be accidentally tripped when under load. They can fly up with some considerable force.

| Length of Arm | 8" | 10" | 16" | 24" |
|---------------|---------|---------|---------|---------|
| Max Wire (mm) | 5 | 6 | 8 | 10 |
| Part No | RG-0109 | RG-0110 | RG-0111 | RG-0112 |



Wire & Backstay Blocks



| Wire Size | Wire Block | Deck Block | Stand-up Block | B.L. (kg) |
|-----------|------------|------------|----------------|-----------|
| 4 | RG-0065 | | | 1130 |
| 5 | RG-0066 | RG-0080 | RG-0081 | 1200 |
| 6 | RG-0067 | RG-0084 | RG-0085 | 2040 |
| 8 | RG-0068 | RG-0088 | RG-0089 | 2010 |



The wire blocks have a removable pin so the wire can be loaded into the block

The deck blocks are open ended. This gives a good deal of slack so that running backstays can be taken forward when required. Please advise deck thickness when ordering

In the stand-up blocks, the sheave pin is removable to allow the wire to be fed through. Please advise angle of lean-in required when ordering



Bronze Rigging Thimbles

| Size | 5 mm | 6 mm | 8 mm | 10 mm |
|-------------|---------|---------|---------|---------|
| Part Number | RG-1210 | RG-1211 | RG-1212 | RG-1213 |

Larger sizes also available to special order



Lignum Vitae Bullseyes

| | | | | | | |
|---------------|---------|---------|---------|---------|---------|---------|
| Diameter (mm) | 25 | 35 | 45 | 55 | 65 | 75 |
| Bore (mm) | 8 | 12 | 16 | 20 | 24 | 28 |
| Part Number | HL-0800 | HL-0801 | HL-0802 | HL-0803 | HL-0804 | HL-0805 |



Ash Parrel Balls

| | | | | | | |
|-------------|---------|---------|---------|---------|---------|---------|
| Length (mm) | 25 | 30 | 35 | 40 | 50 | 60 |
| Bore (mm) | 8 | 9 | 10 | 11 | 12 | 13 |
| Part Number | RG-1079 | RG-1080 | RG-1081 | RG-1082 | RG-1083 | RG-1084 |



Ash Belay Pins

| | | | | | | |
|-------------|---------|---------|---------|---------|---------|---------|
| Length | 8" | 10" | 12" | 13" | 14" | 15" |
| Diameter | 5/8" | 3/4" | 7/8" | 1" | 1 1/8" | 1 1/4" |
| Part Number | HL-1050 | HL-1051 | HL-1052 | HL-1053 | HL-1054 | HL-1055 |



Bronze Belay Pins

| | | | |
|-------------|---------|---------|---------|
| Length | 6" | 9" | 11" |
| Diameter | 3/8" | 1/2" | 5/8" |
| Part Number | HL-0101 | HL-0102 | HL-0103 |

Galvanised Belay Pins

| | | | |
|-------------|---------|---------|---------|
| Length | 6 1/4" | 7 1/2" | 9 1/4" |
| Diameter | 3/8" | 1/2" | 5/8" |
| Part Number | HL-0105 | HL-0106 | HL-0107 |

Gaff Span Shackles

| | | | | |
|------------|---------|---------|---------|---------|
| Pin Size | 1/4" | 3/8" | 1/2" | 5/8" |
| Gunmetal | RG-0145 | RG-0146 | RG-0147 | RG-0148 |
| Galvanised | - | RG-0140 | RG-0142 | RG-0141 |



Forestay Levers

A neat way to provide your sail plan with more options. These levers come complete with the rigging screw, toggle, quick release pin and ring to hold the lever in place. All pivots and pins are in stainless steel, the remainder in bronze.

| Max Wire Dia | Rigging Screw | Length | Part No |
|---------------|---------------|---------|---------|
| 7/16" (5 mm) | 3/8" | 18" | RG-0070 |
| 1/4" (6 mm) | 1/2" | 19 1/2" | RG-0071 |
| 9/32" (7 mm) | 1/2" | 19 1/2" | RG-0072 |
| 5/16" (8 mm) | 5/8" | 23" | RG-0073 |
| 3/8" * | 5/8" | 23" | RG-0074 |
| 1/2" * | 3/4" | 28" | RG-0075 |

* Swaged or swageless terminals for 10mm or 12mm wire instead





Sta-Lok Bronze Rigging Screws

Sta-lok
Bronze
Open Body
Rigging
Screw



| Thread (inch) | Pin (inch) | L min (inch) | L max (inch) | Breaking Load (kg) | Part No |
|---------------|------------|--------------|--------------|--------------------|---------|
| 1/4" | 1/4" | 5 7/8" | 9" | 1447 kg | RG-0644 |
| 5/16" | 5/16" | 6 3/4" | 10 1/8" | 2343 kg | RG-0645 |
| 3/8" | 3/8" | 7 3/8" | 11" | 3597 kg | RG-0646 |
| 7/16" | 7/16" | 8 1/2" | 13" | 4853 kg | RG-0647 |
| 1/2" | 1/2" | 9 5/8" | 14" | 6599 kg | RG-0648 |
| 5/8" | 5/8" | 11 1/4" | 16 1/4" | 10631 kg | RG-0649 |
| 3/4" | 3/4" | 14 1/8" | 21 1/2" | 14467 kg | RG-0650 |

Sta-Lok Bronze Toggles

| Size | 1/4" | 5/16" | 3/8" | 7/16" | 1/2" | 5/8" | 3/4" |
|---------|---------|---------|---------|---------|---------|---------|---------|
| Part No | RG-0654 | RG-0655 | RG-0656 | RG-0657 | RG-0658 | RG-0659 | RG-0660 |

Larger sizes also available to special order

Bronze Open Body Rigging Screws - Brookes & Adams

Bronze
Open
Body
Rigging
Screw
(Fork/
eye)



| Thread | Pin (inch) | L min (inch) | L max (inch) | Breaking Load (kg) | Part No fork/fork | Part No fork/eye | Part No eye/eye |
|--------|------------|--------------|--------------|--------------------|-------------------|------------------|-----------------|
| OBA | 5/32" | 3 1/8" | 4 1/8" | 500 kg | RG-0600 | RG-0605 | RG-0610 |
| BSF | 5/16" | 3 3/4" | 5" | 1000 kg | RG-0601 | RG-0606 | RG-0611 |
| BSF | 3/8" | 6" | 8 1/4" | 2000 kg | RG-0602 | RG-0607 | RG-0612 |
| BSF | 1/2" | 7 1/16" | 10 1/4" | 3000 kg | RG-0603 | RG-0608 | RG-0613 |


Closed
Body

Galvanised Closed Body Rigging Screws - fork/fork

| A (inch) | B (mm) | L min (mm) | L max (mm) | Breaking Load (kg) | Part No |
|----------|--------|------------|------------|--------------------|---------|
| 1/4" | 7 | 145 | 220 | 800 kg | RG-0575 |
| 5/16" | 9 | 165 | 245 | 1300 kg | RG-0576 |
| 3/8" | 11 | 190 | 290 | 1500 kg | RG-0577 |
| 1/2" | 13 | 285 | 430 | 3700 kg | RG-0579 |
| 5/8" | 16 | 370 | 540 | 6500 kg | RG-0580 |

Centreplate Pivots

Rather than a conventional bolt with washers etc, we scheme these as per the picture. The pivot is supplied with bushing both for the plate case timbers and the plate itself. Each end of the pivot is covered with a small piece - about 2" x 2" - of tufnol which is screwed to the plate case, using 4 woodscrews and some sealant.



| Size | 3/8" x 3" | 3/8" x 3 1/2" | 3/8" x 4" | 1/2" x 4" | 1/2" x 5" |
|---------|-----------|---------------|-----------|-----------|-----------|
| Part no | HL-2090 | HL-2091 | HL-2092 | HL-2095 | HL-2096 |



Wykeham-Martin Furling Gear

Wykeham-Martin furling gear looks like - indeed is - a relic from the 19th century. But it works. For further information on its use, please see the articles on the website

| Size | Max Foresail Area (sq. ft) | Part No (complete) | Drum only | Swivel only |
|------|----------------------------|--------------------|-----------|-------------|
| 1 | 50 | RG-0160 | RG-2161 | RG-2171 |
| 2 | 100 | RG-0161 | RG-2162 | RG-2172 |
| 3 | 200 | RG-0162 | RG-2163 | RG-2173 |
| 4 | 350 | RG-0163 | RG-2164 | RG-2174 |



We can also supply stainless bearings for Wykeham-Martin gears.

For the bearings only the part numbers are: WM2 or 3 - MA-

Spinnaker fittings - bronze

| | Strap Length | Pole Dia | Part No |
|----------|--------------|----------|---------|
| Pole End | 4" | 1 3/4" | RG-1050 |
| Pole End | 5" | 2 1/4" | RG-1051 |
| Slide | for 1" track | - | RG-1060 |



Brass Ringbolts

| | | |
|----------------|---------|---------|
| Shank Diameter | 3/8" | 1/2" |
| Shank Length | 3" | 4" |
| Ring Diameter | 1 1/4" | 1 3/4" |
| Part Number | HL-0456 | HL-0457 |



Eyebolts - see price list for sizes

| | Galvanised | Stainless | Bronze (eye nuts) |
|---------|--------------------|--------------------|--------------------|
| Part No | HL-0431 to HL-0435 | HL-0440 to HL-0443 | HL-0444 to HL-0447 |



Brass Engine Control - SY-0401

This simple engine control lever has a twist lock action. Base dimensions are 3 1/2" x 7/8", height 5".

Hull Plates

Please note that Gunmetal chainplates are supplied without fastener holes, but galvanised ones are drilled.

| Chainplate | 4" | 6" | 8" | 10" | 12" |
|----------------|---------|---------|---------|---------|---------|
| Galvanised | HL-0400 | HL-0401 | HL-0402 | HL-0403 | HL-0404 |
| Bronze | HL-0405 | HL-0406 | HL-0407 | HL-0408 | HL-0409 |
| Bowsprit plate | 4" | 6" | 8" | 10" | 12" |
| Galvanised | HL-0415 | HL-0416 | HL-0417 | HL-0418 | HL-0419 |
| Bronze | HL-0420 | HL-0421 | HL-0422 | HL-0423 | HL-0424 |



Chainplate

Bowsprit plate

We can also make these to your specification in steel or bronze



Stanchions & Rails

It is not really a good idea to fit stanchions less than 24" (610 mm) straight onto the deck. If too short they may help people trip over the side.



From left to right:
Stainless stanchion
Round-based gunmetal stanchion,
Square-based gunmetal stanchion,
Plain gunmetal stanchion



For rod size 3/8"



Stainless Steel Stanchions

| Height (mm) | Distance top to 2nd wire | Part No | Part No (gate)# |
|-------------|--------------------------|---------|-----------------|
| 450 | 225 | HL-0876 | |
| 500 | 250 | HL-0878 | |
| 550 | 275 | HL-0879 | |
| 610 | 305 | HL-0880 | HL-0886 |
| 630 | 300 | HL-0881 | HL-0887 |
| 680 | 300 | HL-0882 | HL-0888 |
| 680 | 225/225* | HL-0883 | |
| 750 | 360 | HL-0884 | HL-0889 |
| 750 | 250/250* | HL-0885 | |

* these stanchions have 3 wires

gate stanchions come complete with a strut at 45 degrees to the stanchion

Stainless Steel Stanchion Bases

| | Square | Triangular | 2 Bail |
|----------|---------|------------|---------|
| Straight | HL-0891 | HL-0892 | HL-0893 |
| Angled* | HL-0895 | HL-0896 | HL-0897 |

* angled at 5 degrees

Gunmetal Stanchions

| Height (in) | Base Type | Base Dimension | Part No |
|----------------------------------|-----------|---|----------|
| 18" | Round | 3" dia | HL-0860 |
| 18" | Square | 3 ³ / ₈ " x 2 ¹ / ₄ " | HL-0861 |
| 28" | Square | 3 ³ / ₈ " x 2 ⁵ / ₈ " | HL-0862 |
| 19 ¹ / ₂ " | - | 1" | HL-0865* |
| 24 ¹ / ₂ " | - | 1" | HL-0866* |
| 29 ¹ / ₂ " | - | 1" | HL-0867* |

* Base for HL-0865/6/7 is HL-0864

Brass Fiddle Rail Stanchions

| Height | Part No (through) | Part No (end) | Part No (corner) |
|---------------------------------|-------------------|---------------|------------------|
| 1 ¹ / ₄ " | CB-0175 | CB-0174 | CB-0176 |
| 2" | CB-0178 | CB-0177 | CB-0179 |

Brass Handrail Brackets

| Dia of aperture | Part Number (through) | Part Number (end) |
|-----------------|-----------------------|-------------------|
| 30 mm | CB-0170 | CB-0171 |
| 24 mm | CB-0172 | CB-0173 |

Gunmetal Rail Hinges

| For rail size | Part Number | For rail size | Part Number |
|---|-------------|---|-------------|
| 3 ¹ / ₄ " x 1 ³ / ₄ " | HL-0857 | 3 ³ / ₄ " x 1 ¹ / ₂ " | HL-0858 |



Bronze Shackles


D shackles

| A (mm) | B (mm) | C (mm) | B.L. (kg) | Part No |
|--------|--------|--------|-----------|---------|
| 3 | 17 | 11 | 400 | RG-0240 |
| 4 | 20 | 11 | 500 | RG-0241 |
| 5 | 22 | 12 | 600 | RG-0242 |
| 6 | 23 | 13 | 1000 | RG-0243 |
| 8 | 32 | 16 | 1600 | RG-0244 |
| 10 | 40 | 20 | 2400 | RG-0245 |



Bow shackles

| A (mm) | B (mm) | C (mm) | B.L. (kg) | Part No |
|--------|--------|--------|-----------|---------|
| 5 | 27 | 10 | 400 | RG-0298 |
| 6 | 31 | 12 | 800 | RG-0299 |
| 8 | 39 | 16 | 1200 | RG-0300 |
| 10 | 43 | 20 | 1600 | RG-0301 |



Long D Shackles

| A (mm) | B (mm) | C (mm) | B.L. (kg) | Part No |
|--------|--------|--------|-----------|---------|
| 4 | 24 | 11 | 500 | RG-0269 |
| 5 | 32 | 12 | 600 | RG-0270 |
| 6 | 40 | 13 | 1000 | RG-0271 |

Brass Snap Shackles

Fixed Eye

| L (mm) | L (in) | B.L. (kg) | Part No |
|--------|---------------------------------|-----------|---------|
| 32 | 1 ¹ / ₄ " | 250 | RG-0340 |
| 41 | 1 ⁵ / ₈ " | 450 | RG-0341 |
| 50 | 2" | 750 | RG-0342 |
| 63 | 2 ¹ / ₂ " | 1000 | RG-0343 |
| 76 | 3" | 1200 | RG-0344 |
| 101 | 4" | 2500 | RG-0345 |



Swivel Eye

| L (mm) | L (in) | B.L. (kg) | Part No |
|--------|---------------------------------|-----------|---------|
| 57 | 2 ¹ / ₄ " | 450 | RG-0355 |
| 70 | 2 ³ / ₄ " | 750 | RG-0356 |
| 81 | 3 ¹ / ₄ " | 1000 | RG-0357 |
| 101 | 4" | 1200 | RG-0358 |
| 139 | 5 ¹ / ₂ " | 2500 | RG-0359 |

Swivel eye snap shackle



Swivel D

| L (mm) | L (in) | B.L. (kg) | Part No |
|--------|---------------------------------|-----------|---------|
| 57 | 2 ¹ / ₄ " | 450 | RG-0365 |
| 70 | 2 ³ / ₄ " | 750 | RG-0366 |
| 88 | 3 ¹ / ₂ " | 1000 | RG-0367 |
| 114 | 4 ¹ / ₂ " | 1200 | RG-0368 |

Swivel D